### PAPER

# Kaonic atoms at the DAΦNE collider with the SIDDHARTA-2 experiment

To cite this article: F Napolitano et al 2022 Phys. Scr. 97 084006

View the article online for updates and enhancements.

## You may also like

- <u>A new kaonic helium measurement in gas</u> by SIDDHARTINO at the DANE collider D Sirghi, F Sirghi, F Sgaramella et al.
- <u>The kaonic atoms research program at</u> <u>DANE: overview and perspectives</u> C Curceanu, A Amirkhani, A Baniahmad et al.
- <u>The SIDDHARTA-2 calibration method for</u> <u>high precision kaonic atoms x-ray</u> <u>spectroscopy measurements</u> F Sgaramella, M Miliucci, M Bazzi et al.

PAPER

# Physica Scripta

CrossMark

ACCEPTED FOR PUBLICATION

RECEIVED

8 July 2022

PUBLISHED 19 July 2022

28 January 2022 REVISED 26 May 2022

# Kaonic atoms at the DA $\Phi$ NE collider with the SIDDHARTA-2 experiment

F Napolitano<sup>1,\*</sup><sup>(6)</sup>, F Sgaramella<sup>1,\*</sup><sup>(6)</sup>, M Bazzi<sup>1</sup>, D Bosnar<sup>2</sup><sup>(6)</sup>, M Bragadireanu<sup>3</sup>, M Carminati<sup>4</sup>, M Cargnelli<sup>5</sup>, A Clozza<sup>1</sup>, G Deda<sup>4</sup>, L De Paolis<sup>1</sup>, R Del Grande<sup>1,6</sup><sup>(6)</sup>, L Fabbietti<sup>6</sup>, C Fiorini<sup>4</sup>, C Guaraldo<sup>1</sup>, M Iliescu<sup>1</sup>, M Iwasaki<sup>7</sup>, P Levi Sandri<sup>1</sup>, J Marton<sup>5</sup>, M Miliucci<sup>1</sup><sup>(6)</sup>, P Moskal<sup>8</sup><sup>(6)</sup>, S Niedżwiecki<sup>8</sup>, K Piscicchia<sup>9</sup>, A Scordo<sup>1</sup>, H Shi<sup>5</sup>, D Sirghi<sup>1</sup>, F Sirghi<sup>1</sup>, M Silarski<sup>8</sup>, M Skurzok<sup>8</sup>, A Spallone<sup>1</sup>, M Tüchler<sup>5</sup>, J Zmeskal<sup>5</sup> and C Curceanu<sup>1</sup>

- <sup>1</sup> INFN, Laboratori Nazionali di Frascati, Via E. Fermi 54, I-00044 Roma, Italy
- <sup>2</sup> Department of Physics, Faculty of Science, University of Zagreb, 10000 Zagreb, Croatia
- <sup>3</sup> Horia Hulubei National Institute of Physics and Nuclear Engineering, IFIN-HH, 077125 Magurele, Romania
- <sup>4</sup> Politecnico di Milano, Dipartimento di Elettronica, Informazione e Bioingegneria and INFN Sezione di Milano, 20133 Milano, Italy
- <sup>5</sup> Stefan-Meyer-Institute for Subatomic Physics, Austrian Academy of Science, Kegelgasse 27, 1030 Vienna, Austria
- <sup>6</sup> Excellence Cluster Universe, Technische Universität München, Boltzmannstraße 2, D-85748 Garching, Germany
- <sup>7</sup> RIKEN Tokyo 351-0198, Japan
- <sup>8</sup> The M. Smoluchowski Institute of Physics, Jagiellonian University, 30-348 Kraków, Poland

<sup>9</sup> Centro Ricerche Enrico Fermi–Museo Storico della Fisica e Centro Studi e Ricerche 'Enrico Fermi', Piazza del Viminale 1, I-00184 Roma, Italy

\* Authors to whom any correspondence should be addressed.

E-mail: Napolitano.Fabrizio@lnf.infn.it and Francesco.Sgaramella@lnf.infn.it

Keywords: SIDDHARTA-2, kaonic helium, kaon-nucleon interaction, silicon drift detectors, exotic atoms

#### Abstract

Kaonic atoms are a unique tool to explore quantum chromodynamics in the strangeness sector at low energy, with implications reaching neutron stars and dark matter. Precision x-ray spectroscopy can fully unlock the at-threshold isospin dependent antikaon-nucleon scattering lengths, via the atomic transitions to the fundamental level. While the SIDDHARTA experiment at the INFN-LNF DA $\Phi$ NE collider successfully measured kaonic hydrogen, its successor SIDDHARTA-2 is starting now its data taking campaign aiming to finally fully disentangle the isoscalar and isovector scattering lengths via the measurement of kaonic deuterium. An overview of the first experimental results from a preparatory run for the SIDDAHARTA-2 experiment is presented.

#### 1. Introduction

Exotic bound states of atomic systems have been studied for more than 80 years [1]; they can be formed by sufficiently long-lived negatively charged particles. This is the case for both leptonic, such as muons [2], or hadronic particles as pions [3], kaons [4], anti-protons [5] or sigma hyperons [6]. The study of these systems paved the way to a deeper understanding of particle and nuclear physics and aided the development of the Standard Model. Hadronic exotic atoms in particular can reach low-energy regimes of the strong interaction, which can hardly be achieved by scattering experiments. The hadron-nucleus interaction in exotic atoms occurs at negligible momentum transfer, nearly 'at-threshold'. Precision measurements have been performed in hadronic exotic atoms to access strong interaction parameters and more. At Paul Scherrer Institute (PSI) the properties of pionic atoms were measured and found to be in good agreement with scattering experiments, confirming a consistent picture even at low-energies [7]. Moreover, laser spectroscopy of antiprotonic and pionic helium was recently achieved [8, 9], aiming at a precise determination of the particle's masses.

The unique advantage of the study of kaonic exotic atoms among the other hadronic systems is the ability to directly probe the quantum chromodynamics (QCD) in the strangeness sector at low energy. QCD describes the strong interaction of quarks and gluons. Contrarily to Quantum Electrodynamics, which exhibits a screening of the charge due to vacuum polarization, gluons of QCD vacuum are self-interacting, leading to anti-screening. At higher momentum transfer (or equivalently at smaller distances), the strength of the interaction is smaller; quarks and



gluons behave almost as free particles, enabling the treatment by perturbation theory (asymptotic freedom). At lower momentum transfer (or larger distances) on the other hand, the strength is larger. This leads to a peculiar characteristic known as confinement: quarks are confined inside the nucleons due to the stronger force they experience at small momenta. Below energies of ~1 GeV, perturbative QCD cannot be employed anymore and simplified, phenomenological models are used instead. The understanding of  $\bar{K}N$  interactions in this regime is based on Chiral Perturbation Theory ( $\chi$ PT); however, simple approaches fail due to the strong coupling to the  $\pi\Sigma$  channel and the presence of the  $\Lambda(1405)$  resonance just below threshold [10, 11]. A comparative analysis of the state-of-the-art theoretical approaches is presented in [12]. The majority of these models (Bonn [13–15], Murcia [16] and Kyoto-Munich [17]) exploit dimensional regularization to keep under control the ultraviolet divergences; Prague model [18–21] uses off-shell form factors. All the models employ free parameters fitted to the low energy  $\tilde{K}p$  experimental data which are available through the study of kaonic hydrogen. However, great discrepancy remains in the predictions of the  $\bar{K}n$  scattering lengths, with models strongly disagreeing in both the real and imaginary part, as discussed in [12, 22]. This can only be accessed via a measurement of kaonic deuterium, which is the main goal of the SIDDHARTA-2 experiment, as discussed below.

#### 1.1. Kaonic atoms

A kaonic atom is formed when a kaon is slowed down, or has an initial momentum low enough to be stopped in a target and be captured by an atom via the electromagnetic interaction. This occurs at a highly excited state [23], which depends on the reduced mass of the system. In kaonic hydrogen this takes place at  $n \approx 25$ . After capture, the system starts de-exciting towards the fundamental level, emitting radiation in the x-ray domain. Due to the Stark effect and other competing processes which increase with density, the yield of kaons which can de-excite completely to the ground state strongly depends on the target material. The strong interaction causes an energy shift of the transition to the fundamental 1s level with respect to the canonical electromagnetic one,  $E_{2p \rightarrow 1s}^{em}$ . An overview of these processes is outlined in figure 1.

The vicinity of the kaon to the nucleus is such that the strong interaction is not negligible anymore, and this impacts on the energy of the radiation emitted  $E_{2p \to 1s}^{measured}$ . This shift,  $\epsilon_{1s}$ , is defined as:

$$\epsilon_{1s} = E_{2p \to 1s}^{measured} - E_{2p \to 1s}^{em} \tag{1}$$

Together with the energy shift, strong interaction causes also a broadening of the x-ray energy of the

emission  $2p \rightarrow 1s$ , measured via the width,  $\Gamma_{1s}$ . The  $\bar{K}p$  scattering length,  $a_{\bar{K}p}$ , is connected to  $\epsilon_{1s}^{H}$  and  $\Gamma_{1s}^{H}$  via the Deser-Trueman formula [25]. In the improved version by Meissner et al [26], which takes into account the isospin-breaking corrections, this is written as:

$$\epsilon_{1s}^{H} + \frac{1}{2}\Gamma_{1s}^{H} = 2\alpha^{3}\mu^{2}a_{\bar{K}p}(1 - 2\alpha\mu(\ln\alpha - 1)a_{\bar{K}p} + ...)$$
<sup>(2)</sup>



Similarly, the  $\bar{K}d$  scattering length,  $a_{\bar{K}d}$ , is linked to the kaonic deuterium shift and width:

$$\epsilon_{1s}^{D} + \frac{i}{2}\Gamma_{1s}^{D} = 2\alpha^{3}\mu^{2}a_{\bar{K}d}(1 - 2\alpha\mu(\ln\alpha - 1)a_{\bar{K}d} + ...)$$
(3)

where  $\alpha$  is the fine structure constant and  $\mu$  the reduced mass of the system.

The  $\bar{K}p$  scattering length is connected to the  $\bar{K}N$  isospin-dependent (I = 1, 0) scattering lengths  $a_0$  and  $a_1$  via the relation:

$$a_{\bar{K}p} = \frac{1}{2}(a_0 + a_1) \tag{4}$$

The individual isoscalar  $a_0$  and isovector  $a_1$  scattering lengths can be obtained via the measurement of kaonic deuterium. This in fact provides information on a different combination of  $a_0$  and  $a_1$ :

$$a_{\bar{K}n} = a_1 \tag{5}$$

$$a_{\bar{K}d} = \frac{4(m_N + m_K)}{2m_N + m_K}Q + C$$
(6)

Where  $Q = 1/2(a_{\bar{K}p} + a_{\bar{K}n}) = 1/4(a_0 + 3a_1)$ . The first term in equation (6) represents the lowest order impulse approximation. The second term *C* includes all higher order contributions, namely all other physics associated with the  $\bar{K}d$  three-body interaction. The three-body system  $\bar{K}NN$  can be studied by solving Faddeev-type equations. Since the  $\bar{K}d$  three-body problem includes the complication that the  $\bar{K}p$  and  $\bar{K}n$  interactions involve significant inelastic channels, one has to use a coupled-channel formalism, including both elastic and inelastic channels.

The experimental effort to determine shift and width of kaonic deuterium is challenged by its lower yield with respect to kaonic hydrogen. This challenge requires an up-scaling of the detector technologies, as detailed below.

#### 2. Kaonic atoms experiments

The experimental effort for the study of the kaonic exotic atoms takes place at the INFN-LNF research centre, and at J-PARC. The two complexes employ very different experimental techniques and strategies, based on the different characteristics of the accelerators. The DA $\Phi$ NE complex at INFN-LNF [27, 28] is an  $e^+e^-$  collider, and started operations in 1997. The centre of mass energy is set at the  $\phi$  resonance, 1.02 GeV, so to provide kaons through the process  $e^+e^- \rightarrow \phi \rightarrow K^+K^-$  which is the decay channel with the highest branching ratio of the  $\phi$  meson (48.9 ± 0.5%) [29]. The collider, after the crab-waist scheme upgrade [30], reached a peak luminosity of 4.5 ×  $10^{32}$  cm<sup>-2</sup>s<sup>-1</sup>. The charged kaons from the decays have a small, almost mono-energetic momentum of 127 MeV/c ( $\Delta p/p = 0.1\%$ ), which means they can stop efficiently inside a gaseous target with small material budget.



The overview of the DA $\Phi$ NE collider, the LINAC and the damping ring are shown in figure 2. The production of kaonic atoms at an  $e^+e^-$  collider has the advantage of a lower hadronic background; however, due to kaons being produced from the  $\phi$  decay, the acceptance of the target is also a critical parameter. The SIDDHARTA experiment operated at DA $\Phi$ NE, solving a decade long puzzle of incompatible measurements of kaonic hydrogen [31], and producing the first observation of kaonic helium-3 [32] and measuring kaonic helium-4 [33]. Its successor, the SIDDHARTA-2 experiment, aims at the first measurement of kaonic deuterium, as it is detailed below.

By contrast, the KEK Japan Proton Accelerator Research Complex (J-PARC) [34] makes use of a proton beam with high intensity, serving multiple experiments and purposes through the delivery of secondary beams. From the primary 30 GeV protons, a kaon beam is extracted at an energy of about 1 GeV. Major present experiments are the E62, which is dedicated to the measurement of kaonic helium and the E57 experiment for kaonic deuterium [35]. They take advantage of the high-intensity secondary kaon beam. The higher energy and the harder hadronic radiation environment with respect to the conditions present at the DAΦNE collider, however, represent major experimental challenges.

#### 3. The SIDDHARTA-2 experiment

The SIDDHARTA-2 (SIlicon Drift Detector for Hadronic Atom Research by Timing Application) experiment is currently installed at the INFN-LNF DA $\Phi$ NE collider, and is starting its data taking campaign for the measurement of kaonic deuterium. During the commissioning phase with a pilot run with a reduced setup, SIDDHARTINO, the experimental conditions and background sources present at the collider were assessed. The run successfully concluded in summer 2021 with a kaonic helium data taking.

In figure 3, the details of the experimental apparatus are shown. Above and below the Interaction Region (IR), two pairs of plastic scintillators read by photo-multipliers act as Kaon Trigger, by means of time-of-flight. The purpose of the Kaon Trigger is to select kaons which are emitted almost back-to-back from the decay of the  $\phi$  meson in the IR and directed towards the target. A cylindrical vacuum chamber is placed above the Interaction Point (IP) of the IR and contains the target cell. The kaons continue inside the vacuum chamber, where they interact with the atoms of the gas of the target to form kaonic atoms and emit x-rays. Twelve pairs of plastic scintillators read by photo-multiplier tubes, the Veto-1 system [36], are placed around the cryogenic target, outside the vacuum chamber. Inside the vacuum chamber, radially around the target, smaller scintillators read by silicon photo-multipliers (SiPMs) are used as an additional veto system (Veto-2) [37]. The Veto-1 and Veto-2 systems are used to suppress the synchronous and asynchronous background from the accelerator, and limit the fake signals due to minimum ionizing particles (MIPs). Downstream and upstream the beam-pipe, lead shielding is placed around the vacuum chamber to minimize the background from the accelerator. The cryogenic target is constructed with Kapton walls, with an aluminium structure. Around the target, the Silicon Drift Detectors (SDDs) are used to detect the x-rays produced in the decays of the kaonic atoms. The SDDs are developed from the Silicon Drift Chamber technology introduced by Gatti and Rehak [38, 39], are used for



```
Reproduced from [24]. CC BY 4.0.
```

precision x-ray spectroscopy thanks to their high energy resolution, rate capability and timing information. The SDDs and their front-end electronics are described in more details in 3.1. The setup is equipped with two x-ray tubes which are used to determine the energy calibration. The high vacuum pump and the cryogenic system connectors are placed on top of the vacuum chamber. Between the target and the IR, an additional material budget is placed, the degrader, to optimize the stopping range of the kaons within the gaseous target. To provide luminosity feedback to DA $\Phi$ NE, another pair of plastic scintillators read by photo-multiplier tubes is placed on the longitudinal plane, in front of the IR. The SIDDHARTA-2 Luminometer [40] uses the kaon rates to measure the luminosity. This monitor is complementary to the DA $\Phi$ NE luminosity monitor, which, instead, uses Bhabha scattering  $e^+e^- \rightarrow e^+e^-$ . The geometry of the entire apparatus was optimized with a GEANT4 [41] simulation, such as to assure the highest signal yield. This implies in particular a study of the degrader thickness. Taking into account the much lower yield of kaonic deuterium with respect to kaonic hydrogen (about 1/10), 800 pb<sup>-1</sup> of integrated luminosity are needed to achieve a precision comparable to the SIDDHARTA measurement of kaonic hydrogen. The simulation of kaonic deuterium signal is shown in figure 4. The K<sub> $\alpha$ </sub>, K<sub> $\beta$ </sub> and the higher order transitions (K<sub>*high*) are indicated on the plot, together with the position of the purely electromagnetic energy transition.</sub>

#### 3.1. Silicon drift detectors

State-of-the-art resolution and radiation hardness is a key requirement in precision x-ray spectroscopy, which is needed for the measurement of the kaonic deuterium. Another key requirement is a large number and surface area of the SDDs, in order to maximize the signal yield.

Custom monolithic SDD detectors have been developed by a collaboration of Politecnico di Milano, Fondazione Bruno Kessler, Stefan Meyer Institute and INFN-LNF [42, 43]. To satisfy the requirements, the SDDs have a thickness of 450  $\mu$ m and are organized in arrays of 2 × 4 matrices of 5.12 cm<sup>2</sup>, with a 75% active area. Their quantum efficiency is above 85% in the energy range considered for the transitions. The SDDs are designed to operate at 170 K, close to the cryogenic target. A low-noise charge sensitive preamplifier (CUBE) [44] represents the first stage of the signal processing, together with the front-end readout based on the SFERA ASIC. These can provide charge and timing information to the downstream data acquisition system. The timing measurement in particular is essential to suppress asynchronous background which originates from the accelerator. The SDDs have been extensively tested during the SIDDHARTINO run in the hard radiation environment of DAΦNE, showing optimal stability, linearity and resolution of both timing and energy. The energy resolution of the SDDs was determined to be around 158 eV at the Fe K<sub>α</sub> line and the x-ray response linear within a few eV [42]. The energy response function of the detectors is predominantly gaussian; however



shows the activation of the titanium, copper, and bismuth lines from the radiation emitted by the accelerator.

**Table 1.** Outline of the selection requirements applied to the data and the corresponding number of events passing each cut in the Region Of Interest (ROI) from 4 to 12 keV, with the associated rejection factors. The cuts are described in the text.

Events in ROI	Rejection factor
48739731	_
28811141	$5.9  imes 10^{-1}$
1554	$5.4  imes 10^{-5}$
1110	$9.6  imes 10^{-1}$
596	$5.4 imes10^{-1}$
596	$1.2  imes 10^{-5}$
	Events in ROI 48739731 28811141 1554 1110 596 596

the response has a low energy component due to the incomplete charge collection and electron-hole recombination [45–47]. From a total of 48 SDDs arrays, 8 have been used in the commissioning SIDDHARTINO run, while the remaining detectors were fully installed before the start of the kaonic deuterium data taking campaign.

#### 4. First results from the commissioning phase

During the SIDDHARTINO phase from January 2021 to July 2021, the DA $\Phi$ NE collider delivered an integrated luminosity of more than 50 pb<sup>-1</sup> which was used to assess the setup readiness and the background levels for the upcoming SIDDHARTA-2 runs. The target was filled with helium gas at different densities; the kaonic helium emission L<sub> $\alpha$ </sub> line was measured in the x-ray spectrum [42] and used to validate the optimal degrader thickness predicted by a Monte-Carlo simulation. The use of the Kaon Trigger and the SDDs timing alone showed a background rejection factor of about 10<sup>5</sup>.

After summer 2021, the Veto-1 and Veto-2 were installed in the setup, together with additional SDD arrays and upgraded shielding. During this final commissioning phase of SIDDHARTA-2 before the kaonic deuterium measurement, the emission spectrum from the helium target (at 1.48% liquid density) was acquired. The inclusive spectrum is shown in figure 5, which corresponds to the data collected by the SDDs prior to any requirement. The spectrum shows spectroscopic peaks which are related with the activation of material around the detectors. Titanium and Copper are placed inside the vacuum chamber close to the SDDs for calibration purposes (Ti  $K_{\alpha}$  and Cu  $K_{\alpha}$ ). The bismuth, present in the SDD detector ceramics, is activated as well (Bi  $L_{\alpha}$ ).

In table 1, the overview of the selections applied to the collected data, and the number of events passing each requirement together with the rejection factor are given. The event selection makes use of the additional





information provided by the SIDDHARTA-2 sub-detectors as well as the SDDs. Events taken during DA $\Phi$ NE injection are typically affected by much higher background conditions, and therefore discarded (Injection cut). If the two pairs of photo-multiplier tubes of the Kaon Trigger detect signals, then the event is marked as triggered (Trigger cut). This cut is extremely efficient to reject the background events, since the position of the scintillators in the transverse plane assures that the out-of-bunch (asynchronous) background coming from the collider rings is mostly suppressed. After this cut, only particles coming from the IR and their interaction with the apparatus contribute to the background. To select only the events in temporal coincidence with the kaons, the timing of the scintillator's signal is calculated to determine the time of flight of the particle, which has to be compatible with that of the kaons from the IR (TOF cut). To this end, the DA $\Phi$ NE radiofrequency (RF = 368.7 MHz) is used as time reference and the almost in-phase MIPs can be discriminated against the slower kaons by the Kaon Trigger's optimal timing resolution of about hundreds of ps. The cut is applied on the diagonal projection of the mean time of the two pairs of photo-multipliers tubes (one pair for each scintillator) to assure maximal efficiency of the selection. Finally, the drift time of the SDDs is selected to be within the timing window of the trigger (Drift cut).

The Drift cut is shown in figure 6 for events passing the trigger requirement. This final cut further reduces the synchronous background, increasing the purity of the selected data.

In figure 7 we show the SDDs spectrum in the Region Of Interest for the kaonic helium (4 keV to 10 keV), corresponding to the commissioning run of the SIDDHARTA-2 setup in December 2021, with a total integrated luminosity of 1.7 pb<sup>-1</sup>. The prominent kaonic helium  $L_{\alpha}$  transition is visible in the spectrum, together with transitions of kaonic nitrogen and kaonic carbon. These additional kaonic atoms are generated by the interaction of the kaons with the Kapton walls of the cryogenic target.

### 5. Conclusions

The measurement of shift and width of the kaonic deuterium is a key missing element to determine isospindependent kaon-nucleons scattering lengths, which have implications from particle and nuclear to astroparticle physics. The experimental effort takes place at INFN-LNF, Italy and at J-PARC, in Japan, aiming at performing the measurement within the next few years. The SIDDHARTA-2 experiment at the DA $\Phi$ NE collider of INFN-LNF has successfully completed its commissioning phase, SIDDHARTINO, in summer 2021. The final configuration is well underway to start the 2022 kaonic deuterium run. To check the performance of the detector, the SIDDHARTA-2 collaboration collected 1.7 pb<sup>-1</sup> of kaonic helium data, which are presented in this article for the first time. Kaonic atoms transitions are visible in the SDD spectrum, showing state-of-the-art stable x-ray spectroscopic response and resilience to the hard radiation environment.

#### Acknowledgments

The authors acknowledge C. Capoccia from INFN-LNF and H. Schneider, L. Stohwasser, and D. Pristauz Telsnigg from Stefan-Meyer-Institut für Subatomare Physik for their fundamental contribution in designing and building the SIDDHARTA-2 setup. We thank as well the DA $\Phi$ NE staff for the excellent working conditions and permanent support.

#### Data availability statement

The data that support the findings of this study are available upon reasonable request from the authors.

#### Funding

Part of this work was supported by the Austrian Science Fund (FWF): P24756-N20 and P33037-N; the Croatian Science Foundation under the project IP-2018-01-8570; EU STRONG-2020 project (grant agreement number 824093); the Polish Ministry of Science and Higher Education, grant number 7150/E-338/M/2018; and the Foundational Questions Institute and Fetzer Franklin Fund, a donor advised fund of Silicon Valley Community Foundation (grant number FQXi-RFP-CPW-2008). This publication was made possible through the support of Grant 62099 from the John Templeton Foundation. The opinions expressed in this publication are those of the author(s) and do not necessarily reflect the views of the John Templeton Foundation . The project is co-financed by the Polish National Agency for Academic Exchange, grant no **PPN/BIT/2021/1/00037**.

#### **ORCID** iDs

F Napolitano (b) https://orcid.org/0000-0002-8686-5923 F Sgaramella (b) https://orcid.org/0000-0002-0011-8864 D Bosnar (b) https://orcid.org/0000-0003-4784-393X R Del Grande (b) https://orcid.org/0000-0002-7599-2716 M Miliucci (b) https://orcid.org/0000-0002-2315-2379 P Moskal (b) https://orcid.org/0000-0002-4229-3548

#### References

- [1] Tomonaga S and Araki G 1940 Effect of the nuclear coulomb field on the capture of slow mesons Phys. Rev. 58 90-1
- [2] Fitch VL and Rainwater J 1953 Studies of x-rays from mu-mesonic atoms *Phys. Rev.* 92 789–800
- [3] Camac M, McGuire A D, Platt J B and Schulte H J 1952 X-rays from mesic atoms Phys. Rev. 88 134–134

- [4] Burleson G R, Cohen D, Lamb R C, Michael D N, Schluter R A and White T O 1965 Observation of mesonic x rays in helium Phys. Rev. Lett. 15 70–2
- [5] Bamberger A et al 1970 Observation of antiprotonic atoms Phys. Lett. B 33 233-5
- [6] Backenstoss G, Bunaciu T, Charalambus S, Egger J, Koch H, Bamberger A, Lynen U, Ritter H G and Schmitt H 1970 Observations of sigma hyperonic atoms *Phys. Lett. B* 33 230–2
- [7] Hirtl A et al 2021 Redetermination of the strong-interaction width in pionic hydrogen The European Physical Journal A 57 70
- [8] Hori M, Aghai-Khozani H, Sótér A, Dax A and Barna D 2020 Laser spectroscopy of pionic helium atoms Nature 581 37–41
   [9] Sótér A, Aghai-Khozani H, Barna D, Dax A, Venturelli L and Hori M 2022 High-resolution laser resonances of antiprotonic helium in
- superfluid 4he Nature 603 411–5
- [10] Lee C-H, Jung H, Min D-P and Rho M 1994 Kaon-nucleon scattering from chiral lagrangians *Phys. Lett. B* 326 14–20
- [11] Bernard V 2008 Chiral perturbation theory and baryon properties Prog. Part. Nucl. Phys. 60 82–160
- [12] Cieplý A, Mai M, Meißer U-G and Smejkal J 2016 On the pole content of coupled channels chiral approaches used for the Kn system Nuclear Physics A 954 17–40
- [13] Mai M and Meißner U-G 2013 New insights into antikaon-nucleon scattering and the structure of the Nucl. Phys. A 900 51-64
- [14] Bruns P C, Mai M and Meißner U-G 2011 Chiral dynamics of the s11(1535) and s11(1650) resonances revisited Phys. Lett. B 697 254–9
- [15] Mai M 2013 From meson-baryon scattering to meson photoproduction PhD thesis Rheinische Friedrich-Wilhelms-Universität Bonn
- [16] Guo Z-H and Oller J A 2013 Meson-baryon reactions with strangeness -1 within a chiral framework *Physical Review C* 87 035202
- [17] Ikeda Y, Hyodo T and Weise W 2012 Chiral SU(3) theory of antikaon–nucleon interactions with improved threshold constraints Nucl. Phys. A 881 98–114
- [18] Cieplý A, Friedman E, Gal A, Gazda D and Mareš J 2011 Chirally motivated k<sup>-</sup> nuclear potentials Phys. Lett. B 702 402–7
- [19] Cieplý A, Friedman E, Gal A, Gazda D and Mareš J 2011 K<sup>-</sup> nuclear potentials from in-medium chirally motivated models *Physical Review C* 84 045206
- [20] Cieplý A and Smejkal J 2012 Chirally motivated amplitudes for in-medium applications Nucl. Phys. A 881 115-26
- [21] Cieplý A and Krejčiřík V 2015 Effective model for in-medium  $\bar{K}N$  interactions including the L = 1 partial wave Nucl. Phys. A 940 311–30
- [22] Curceanu C et al 2019 The modern era of light kaonic atom experiments Rev. Mod. Phys. 91 025006
- [23] Zmeskal J 2008 From kaonic atoms to kaonic nuclei: a search for antikaon-mediated bound nuclear systems Prog. Part. Nucl. Phys. 61 512–50
- [24] Skurzok M et al 2020 Kaonic atoms experiment at the DAΦNE collider by SIDDHARTA/SIDDHARTA-2 SciPost Phys. Proc. 3 39
- [25] Trueman T L 1961 Energy level shifts in atomic states of strongly-interacting particles Nucl. Phys. 26 57-67
- [26] Meißner U-G, Raha U and Rusetsky A 2006 Kaon-nucleon scattering lengths from kaonic deuterium experiments The European Physical Journal C-Particles and Fields 47 473–80
- [27] Milardi C et al 2018 Preparation Activity for the Siddharta-2 Run at DA\u03c6NE Proc. 9th International Particle Accelerator Conference (IPAC'18), Vancouver, BC, Canada, April 29-May 4, 2018, number 9 in International Particle Accelerator Conference (Geneva, Switzerland: JACoW Publishing) 334–7
- [28] Vignola G et al 1996 Daøne, the first ø-factory Conf. Rpc. 960610 22-26C930517
- [29] Particle Data Group, Zyla et al 2020 Review of particle physics Progress of Theoretical and Experimental Physics 2020 083C01
- [30] Zobov M et al 2010 Test of 'crab-waist' collisions at the DA $\Phi$ NE  $\Phi$  factory Phys. Rev. Lett. **104** 174801
- [31] Bazzi M et al 2011 A new measurement of kaonic hydrogen x-rays Phys. Lett. B 704 113-7
- [32] Bazzi M et al 2011 First measurement of kaonic helium-3 x-rays Phys. Lett. B 697 199-202
- [33] Bazzi M et al 2009 Kaonic helium-4 x-ray measurement in SIDDHARTA Phys. Lett. B 681 310-4
- [34] Sako H 2010 Current status and performance of the j-parc accelerators Journal of Power and Energy Systems 4 218-33
- [35] Ohnishi H, Sakuma F and Takahashi T 2020 Hadron physics at j-parc Prog. Part. Nucl. Phys. 113 103773
- [36] Bazzi M et al 2013 Characterization of the SIDDHARTA-2 second level trigger detector prototype based on scintillators coupled to a prism reflector light guide J. Instrum. 8 T11003T11003–11003
- [37] Tüchler M et al 2018 A charged particle veto detector for kaonic deuterium measurements at da/one J. Phys. Conf. Ser. 1138 012012
- [38] Gatti E and Rehak P 1984 Semiconductor Drift Chamber–an application of a novel charge transport scheme Nucl. Instrum. Meth. A 225 608–14
- [39] Gatti E, Rehak P and Walton J T 1984 Silicon Drift Chamber first results and optimum processing of signals Nucl. Instrum. Meth. A 226 129–41
- [40] Skurzok M et al 2020 Characterization of the SIDDHARTA-2 luminosity monitor J. Instrum. 15 P10010
- [41] Agostinelli S et al 2003 Geant4a simulation toolkit Nucl. Instrum. Methods Phys. Res., Sect. A: Accelerators, Spectrometers, Detectors and Associated Equipment 506 250–303
- [42] Miliucci M et al 2021 Silicon drift detectors' spectroscopic response during the siddharta-2 kaonic helium run at the daφne collider Condensed Matter 6 47
- [43] Quaglia R, Schembari F, Bellotti G, Butt A D, Fiorini C, Bombelli L, Giacomini G, Ficorella F, Piemonte C and Zorzi N 2016 Development of arrays of silicon drift detectors and readout asic for the siddharta experiment *Nucl. Instrum. Methods Phys. Res., Sect. A* 824 449–51 Frontier Detectors for Frontier Physics: Proceedings of the 13th Pisa Meeting on Advanced Detectors
- [44] Schembari F, Quaglia R, Bellotti G and Fiorini C 2016 Sfera: An integrated circuit for the readout of x and γ-ray detectors IEEE Trans. Nucl. Sci. 63 1797–807
- [45] Campbell J L 1990 X-ray spectrometers for PIXE. Nucl. Instrum. Meth. B 49 115-25
- [46] Campbell J L and Maxwell J A 1997 A cautionary note on the use of the hypermet tailing function in x-ray spectrometry with si(li) detectors Nucl. Instrum. Methods Phys. Res., Sect. B 129 297–9
- [47] Gysel M, Lemberge P and Van Espen P 2003 Implementation of a spectrum fitting procedure using a robust peak model X-Ray Spectrom. 32 434–41